



- GENERAL NOTES**
 - REFERENCE SPECIFICATIONS**
 - 1.1.1.1. CHSA OCCUPATIONAL HEALTH AND SAFETY CANADIAN STANDARD ASSOCIATION
 - 1.1.1.2. CSA MINISTÈRE DES TRANSPORTS DU QUÉBEC
 - 1.1.1.3. MTO NATIONAL BUILDING CODE OF CANADA (2022)
 - 1.1.1.4. NBCC AMERICAN SOCIETY OF TESTING AND MATERIALS
 - 1.1.1.5. ASTM AMERICAN SOCIETY OF CIVIL ENGINEERS
 - 1.1.1.6. ASCE
 - 1.1.1.7. ROAD DESIGN STANDARDS
 - 1.1.1.7.1. TAC TRANSPORTATION ASSOCIATION OF CANADA - MANUAL OF GEOMETRIC DESIGN GUIDE FOR CANADIAN ROADS
 - 1.1.1.7.2. Q2-01 DESIGN CODE OF A STORMWATER MANAGEMENT SYSTEM ELIGIBLE FOR A DECLARATION OF COMPLIANCE ENVIRONMENT QUALITY ACT
 - 1.1.1.7.3. 949-15 CHELSEA RELATIF À LA MISE EN PLACE DE TRAVAUX MUNICIPAUX
 - 1.1.1.7.4. BY LAWNUMBER 637-05 TITLED "RESPECTIF SUBDIVISIONS" EFFECTIVE 20 APRIL 2020
 - 1.1.1.7.5. MTO TOME 1 THROUGH TOME 7
 - 1.1.2. DIMENSION
 - 1.1.2.1. ALL DIMENSIONS ARE IN METRES UNLESS OTHERWISE NOTED
 - 1.1.3. BENCH MARKS AND SURVEY
 - 1.1.3.1. COORDINATES USED IN THIS DRAWING ARE IN M.T.M.ZONE 6 (EPSG 32189) AND ARE BASED ON GEODETIC ELEVATION
 - 1.1.3.2. ELEVATIONS ARE BASED ON LIDAR PROVIDED BY OPEN FOREST
 - 1.1.4. REFERENCED REPORTS
 - 1.1.4.1. GEOTECHNICAL REPORT TITLED "GEOTECHNICAL INVESTIGATION REPORT" BY ASI DATED 16 OCTOBER 2013
 - 1.1.4.1.1. UPDATED IN MEMO TITLED "ROUTE 105 DEVELOPMENT PROJECT" BY ASI DATED 5 JULY 2019
 - 1.1.4.1.2. UPDATED IN DETAILED MEMO TITLED "STABILITY ASSESSMENT OF NORTHERN PART OF PROPOSED SUBDIVISION" BY SAEL DATED 23 AUGUST 2021
 - 1.1.4.2. PUMPING TEST MEMO TITLED "ASSESSMENT OF WELL PUMPING TEST BY SHERMONT" BY ASI DATED 15 JANUARY 2021 - SEPTIC AND DRINKING WATER NOTES
 - 1.1.4.2.1. ALL SEPTIC SYSTEM LOCATIONS ARE BASED ON THE PUMPING REPORT, SEPTIC REPORT, AND GEOTECHNICAL REPORT WHICH SHOWS A TYPICAL SEPTIC SYSTEM THAT WOULD SATISFY THE LISTED BY LAWS
 - 1.1.4.2.2. POLISHING FIELDS MAY EXIST BEYOND THE APPROVED CONSTRUCTION LINE BUT MUST BE APPROVED BY SAEL GEOTECHNICAL ENGINEER
 - 1.1.4.3. ROAD FEASIBILITY STUDY TITLED "ROAD FEASIBILITY STUDY" BY ASI DATED 1 FEBRUARY 2021
 - 1.1.4.4. ROAD DESIGN REPORT TITLED "ROAD DESIGN REPORT" BY SAEL DATED 23 APRIL 2024
 - 1.1.4.5. SEPTIC SYSTEMS ASSESSMENT REPORT TITLED "SEPTIC SYSTEMS ASSESSMENT REPORT" BY ASI DATED 21 JANUARY 2021
 - 1.1.4.6. SITE LIGHTING BY OTHER
 - 1.1.4.7. STORMWATER DESIGN REPORT TITLED "STORMWATER DESIGN OF RTE 105 SUBDIVISION" BY SAEL DATED 22 APRIL 2024
 - 1.1.4.8. CHARACTERIZATION FORESTIÈRE, PROJECT, CHELSEA, LOT #3 389 672 BY NOVIA SYLVIA DATED 18 MARCH 2024
 - 1.1.4.9. LOT LAYOUT DESIGN AND DEVELOPMENT GUIDELINES
 - 2.1.1.1. THE SUBDIVISION DESIGN IS SENSITIVE TO THE EXISTING NATURAL AND BUILT ENVIRONMENT OF THE MUNICIPALITY OF CHELSEA. THIS INCLUDES CONSIDERATION OF TOPOGRAPHY, VEGETATION, EXISTING WATERBODIES, HISTORIC STRUCTURE AND SURROUNDING LAND USES.
 - 2.1.1.2. PROPOSED LOT PLANS ARE BASED UPON A SINGLE HOUSE FOOTPRINT OF APPROXIMATELY 2200 M². HOUSES ARE TO HAVE A BASEMENT AND BE TWO STORES TALL. ABOVEGROUND SWIMMING POOLS ARE ALLOWED WITHIN THE CONSTRUCTION LIMIT IS TO BE BELIMITED TO SEPTIC SYSTEMS.
 - 2.1.1.3. BUILDING PLACEMENT, ORIENTATION, ARCHITECTURE, AND ALL NEW CONSTRUCTION AESTHETICS TO RESPECT CHELSEA GUIDELINES
 - 2.1.1.4. WHERE POSSIBLE, HOUSES AND NEW CONSTRUCTION ARE TO DRAW TOWARD ROAD SIDE DITCH.
 - 2.1.1.5. WELLS ARE TO BE DESIGNED AS WATERTIGHT, WITH A MINIMUM BUFFER TO SEPTIC SYSTEMS OF 30.0M. THIS MAY BE REDUCED AT THE DISCRETION OF THE SPECIALIZED SEPTIC ENGINEER SYSTEM CAPACITIES.
 - 2.1.1.6. MINIMAL SITE DISTURBANCE IS TO BE ENSURED. CLEARING OF LARGE SWATHS OF TREES SHOULD PROTECT A HYDRAULIC DESIGN REVIEW. A MINIMUM OF 40% OF DEVELOPED AREA IS ASSUMED PER LOT. ADDITIONAL DEVELOPMENT SHOULD BE CONTROLLED LOCALLY USING LID TECHNOLOGIES. LID IMPLEMENTATION PLAN TO BE VERIFIED AT TIME OF CONSTRUCTION OF EACH LOT.
 - 2.1.1.7. LOT OWNERS SHALL OBTAIN ALL NECESSARY PERMITS AND APPROVALS FROM THE RELEVANT MUNICIPAL AUTHORITIES PRIOR TO COMMENCING ANY CONSTRUCTION ACTIVITIES
 - 2.1.1.8. THE SUBDIVISION IS TO BE SERVICED BY WELL AND SEPTIC SYSTEMS. NO CONNECTIONS TO EXISTING INFRASTRUCTURE ARE REQUIRED.
 - 2.1.1.9. OVERLAND FLOW CHANNELS ARE TO BE MAINTAINED BY THE LOT OWNER TO ENSURE ADEQUATE HYDRAULIC CONNECTIVITY TO THE DRY STORAGE PONDS.
 - 2.1.1.10. DISCHARGE OUTLETS SHOWN ON PLANS ARE TO BE INSPECTED TWICE A YEAR TO ENSURE CLEAR PASSAGE OF WATER AND DISCHARGE OF DRY STORAGE SYSTEMS.
 - 2.1.1.11. ALL STORMWATER MANAGEMENT SYSTEMS ARE DESIGNED BASED ON THE REFERENCED STORMWATER MANAGEMENT DESIGN GUIDE (NOTE 1.1.4.7)
 - 2.1.1.12. ROAD DESIGN IS BASED ON MTO TOME 1 THROUGH TOME 7 AND LOCAL CHELSEA ROAD DESIGN FOR LOW FLOW ROAD
 - 2.1.1.13. RIGHT-OF-WAYS STANDARD IS TO BE 15.0M, AND ALL ROADWAYS DITCHES ARE TO BE MAINTAINED AND OWNED BY THE MUNICIPALITY OF CHELSEA. ALL STORMWATER MANAGEMENT SYSTEMS ARE TO BE MAINTAINED AS PER REFERENCE 1.1.4.7.
 - 2.1.1.14. STOCKPILING AND ADDITIONAL GRADING ABOVE EXISTING CONDITION IS NOT PERMITTED ON THE LOTS WITHOUT THE APPROVAL OF THE DESIGN ENGINEER.
 - 2.1.1.15. THIS SUBDIVISION DESIGN AND ITS VARIOUS COMPONENTS ARE FOR CONCEPTUAL APPROVAL ONLY. DIMENSIONS AND LOCATIONS OF VARIOUS ELEMENTS MAY BE CHANGED BY OWNERS AT THE DISCRETION OF CHELSEA BUILDING OFFICIALS AND SAEL ENGINEER PRIOR TO CONSTRUCTION.
- ROAD SIGNAGE AND BARRIERS**
 - 3.1.1. ROAD SIGNAGE
 - 3.1.1.1. ROAD SIGNAGE IS TO BE PER ROAD SIGNAGE PLAN ON SH 17
 - 3.1.1.2. ROAD SIGNAGE TO BE PLACED A MINIMUM OF 1.0M AWAY FROM PAVED EDGE
 - 3.1.1.3. UNDERSIDE OF SIGNAGE TO BE A MINIMUM 2.2M FROM PAVED SURFACE
 - 3.1.1.4. ALL SIGNAGE TO BE AS PER MTO TOME 5
 - 3.1.2. DRY STORAGE SIGNAGE
 - 3.1.2.1. WARNINGS FOR HIGH WATER LEVEL TO BE PLACED AROUND AREAS DESIGNATED FOR DRY STORAGE. SEE SIGNAGE PLAN FOR DETAILED LOCATIONS
 - 3.1.2.2. SIGNAGE FOR DRY STORAGE MAY BE REPLACED WITHIN VEGETATIVE BARRIERS IF REQUIRED
 - 3.1.3. SAFETY FEATURES
 - 3.1.3.1. VEGETATIVE BARRIERS
 - 3.1.3.1.1. WHERE WATER DEPTH IS DESIGNED AT LESS THAN 1.0M, AND THE SIDE SLOPE IS LESS THAN 3H:1V, VEGETATIVE BARRIERS ARE CONSIDERED ADEQUATE
 - 3.1.3.1.2. VEGETATIVE BARRIERS ARE TO BE DESIGNED BY OTHERS BUT MUST INCLUDE EMERGENT SPECIES OF VEGETATION TO DETER ACCESS.



LEGEND - PLAN

Line/Color	Type
--- (dashed)	Substation 2 (R/S)
--- (dotted)	Street Centre
--- (solid)	Centre
--- (solid)	Right Edge
--- (solid)	Left Edge
--- (solid)	Lot Lines
--- (solid)	End of the Slope (Left)
--- (solid)	End of the Slope (Right)

LEGEND - PROFILE

Line/Color	Type
--- (dashed)	Profile Original
--- (dotted)	Profile Proposed Surface
--- (solid)	Centre
--- (solid)	Bridge Assessment
--- (solid)	Finished Grade
--- (solid)	End of the Slope (Right)
--- (solid)	Infrastructure (V.L.S.)
--- (solid)	Road Centre Profile
--- (solid)	Proposed Profile

LEGEND - SUBDIVISION PLAN

Line/Color	Type
--- (dashed)	Subdivision
--- (dotted)	Property Limit
--- (solid)	Construction Limit
--- (solid)	Right of Way
--- (solid)	Road C.L.
--- (solid)	Gateway Barrier
--- (solid)	Natural Feature
--- (solid)	Highway 105

NO	DATE	REVISIONS
10	08 DECEMBER 2025	ISSUED FOR PERMIT
9	05 OCTOBER 2025	ISSUED FOR PERMIT
8	2 JUNE 2025	ISSUED FOR PERMIT
7	30 JANUARY 2025	ISSUED FOR PERMIT
6	08 OCTOBER 2024	ISSUED FOR CONSTRUCTION
5	28 JUNE 2024	ISSUED FOR PERMIT
4	26 JUNE 2024	ISSUED FOR PERMIT
3	5 JUNE 2024	ISSUED FOR PERMIT
2	11 APRIL 2024	ISSUED FOR PERMIT
1	27 FEB 2024	ISSUED FOR PERMIT

NO	DATE	REMARKS

REVISIONS

LEGEND

- ## LOT NUMBERING TEXT
- DN CURVE NUMBER
- EC END OF CURVE
- BC BEGINNING OF CURVE
- APPROXIMATE BOREHOLE LOCATION
- MP MONITORING POINT

SERVICE LOCATIONS INDICATED ON SHORING DRAWINGS ARE PROVIDED FOR COORDINATION PURPOSES ONLY.

OTHER SERVICES NOT INDICATED ON THIS DRAWING MAY EXIST.

THE OWNER / GENERAL CONTRACTOR / PROJECT MANAGER SHALL ENSURE THAT ALL THE UNDERGROUND AND OVERGROUND SERVICES BE IDENTIFIED, PROTECTED AND / OR RELOCATED PRIOR TO PROCEEDING WITH ANY DRILLING OR EXCAVATION WORK. DO NOT EXCAVATE OR DRILL BEFORE ALL SERVICES HAVE BEEN LOCATED.

CONTRACTOR MUST VERIFY ALL DIMENSIONS AND BE RESPONSIBLE FOR SAME REPORTING ANY DISCREPANCIES TO THE ARCHITECT BEFORE COMMENCING THE WORK.

PRINTS ARE NOT TO BE SCALED. ALL DIMENSIONS ARE IN METRES UNLESS OTHERWISE STATED.

DRAWINGS WITHOUT ENGINEER'S SIGNATURE SHALL BE CONSIDERED AS INCOMPLETE AND ARE FOR INFORMATION ONLY.

Client

CHELSEA, QUÉBEC

1201 BOULEVARD ST. JOSEPH
GATINEAU, QC
J2Z 3J6

Job Title

HWY 105 DEVELOPMENT

CHELSEA, QUÉBEC

Sheet Title

LOT #8

Scale

North

SCIENTIFIC APPLIED CONCEPTS LTD
5500 CANTON ROAD, SUITE 105, GLENCASTLE, QUEBEC H9T 1P2
WWW.SACL.CANADA.COM | INFO@SACL.CANADA.COM

Scale: NTS

Designed By: D.A.

Drawn By: D.A. & H.A.

Reviewed By: M.N. & H.S.

Job No: 2106037

Sheet No: RL8